



HEAT&GLO™

No one builds a better fire

**Designer
Collection**
Gas Fireplaces



The Designer Line represents the innovation of the Heat & Glo brand. Featuring unique details and distinctive designs, this award-winning gas fireplace collection was created for maximum impact. Each fireplace offers a beautifully integrated whole hearth system, and options that deliver an elegant and sophisticated atmosphere within any home.

Innovation & Design

No one builds a better fire

Above: Escape-36 shown with standard mesh curtain.
Cover: Escape 42 See-Through shown with Arched Firescreen front in Bronze.




Escape™ We started with the best in mind,
then made it even better




Escape-42 shown with Firescreen front in Bronze and Prairie Ridge companions, Sierra log shelf and Cultured Stone's Blended Textures.




Escape 42 See-Through shown with Firescreen front in Black.



Andirons and Arched Firescreen available for Escape-ST only in Black, Graphite, or New Bronze



Black




Graphite




New Bronze

Although Escape is the first gas fireplace in the world to remove all visible firebox sheet metal, what makes it even more exceptional is what we've added: innovative accent lights, mood-setting controls, and the inspired craftsmanship of a masonry fireplace, only better. The Escape 36" and 42" features our patented FireBrick technology, which has an authentic cantilevered brick design. Quite simply, it's our best. Also available in our See-Through model.


Escape-36 shown with Avalon cast mantel.



Firescreen Front and Optional Prairie Ridge Companions available in Black, Bronze or Pewter.



Black



Bronze



Pewter



Cerona® High style, high heat, high efficiency



Cerona-36 shown with Cultured Stone dry stack ledgerstone, Chateau Deluxe front in Graphite and arch trim stone in marsh.



Cerona-42 shown with Apollo cast stone surround in beige and Galleria doors in New Bronze.



Aged Brass



Black



Graphite



New Bronze

Arched elegance, robust heat and high efficiency—it's a powerful combination. We took serious heat output and stylishly wrapped it in a classic, authentic arched firebox—formed from our patented FireBrick material, providing a realistic "brick-look" with warm, radiant heat. Available in 36" and 42" models.



Chateau Front



Chateau Deluxe Front



Valencia Front



Galleria Doors

Decorative Fronts and Doors

available in aged brass, black, graphite and new bronze.

Crescent II shown with painted Bella cabinet and Pewter Essence front.



Essence front



Reserve front



DF-CRES2-BK front




There's an opportunity for a fireplace around every corner. Designed to slip into corners and tight spots, this compact arched fireplace transforms any room where space is an issue, coziness a must.

Crescent® II Limited space & endless possibility

Decorative Fronts Choose Reserve front in Bronze, Pewter and Rubbed Copper, Essence front in Bronze, Brushed Nickel, Pewter and Polished Brass or DF-CRES2-BK in Black.



Bronze



Brass



Brushed Nickel



Pewter



Rubbed Copper



Black

Cyclone® The art & science of fire



Cyclone Custom shown with custom bar application



Brushed Nickel



Cyclone System shown with Brushed Copper decorative front (also available in Brushed Nickel) and custom Bisazza tile.




Everest® Tall, bold & handsome

Everest shown with Atlas Cast Stone surround in Gray and standard black front.


Take your fireplace to new heights. Enjoy European-inspired design that's tall and slim, both classic and contemporary.

Specifications

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	Btu/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Cerona-36	41-1/8	42-1/8	28-1/2	42-1/8	49-7/8	50-1/2	21-3/4	22-1/4	30-1/4 x 23-1/2	25,000-37,500 (NG)
Cerona-42	48-1/8	49-1/8	35-3/8	49-1/8	54	54-1/2	21-3/4	22-1/4	35-7/8 x 27-3/4	32,000-48,000 (NG)




MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	Btu/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Escape-36	50-7/8	51-1/2	50-7/8	51-1/2	35-1/2	46	21	22	36 x 30	31,000-40,000 (NG)
Escape-42	56-7/8	57-1/2	48	57-1/2	41-3/8	52-1/2	21	22		
Escape-ST	59-15/16	60-1/4	59-15/16	60-1/4	46-3/8	46-1/2	30	30	39-7/16 x 35-1/8	43,500 - 57,500 (NG)




Specifications


MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	Btu/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Crescent II	34-1/2	35-1/2	25-3/8	35-1/2	43-1/8	43-5/8	19-1/4	19-3/4	27-3/4 x 28-1/2	29,500 (NG)



MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	Btu/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Cyclone System	28-1/4	28-5/8	11-7/8	28-5/8	49-1/2	50	15-7/8	16-3/8	7-7/8 x 34-1/2 x .20	15,000 (NG)
Cyclone Custom	17	17-1/2	17	17-1/2	41-3/8	41-3/8	17	17-1/2		



MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	Btu/Hour Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Everest	34-1/16	35-1/16	17-7/8	35-1/16	50	50-1/2	20-7/8	21-3/8	26-7/8 x 33-3/8	23,000-33,000 (NG)



Dimensions in diagrams are in inches and millimeters. Dimensions in table are in inches. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. Assumes the use of 1/2" sheetrock. NOTE: Combustible material should not cover the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Actual product appearance, including flame, may differ from product images.

IntelliFire™

Our exclusive, state-of-the-art IntelliFire ignition system reduces gas consumption and thermogenerator wear by providing a pilot flame only when needed. It also supplies a back-up battery system to run the fireplace during a power outage.

FireBrick®

FireBrick technology provides the warmth and glow of a real wood burning fire. Our patented Firebrick technology uses heat and compression to seamlessly mold ceramic fiber material into uniquely shaped fireboxes with authentic brick patterns. FireBrick technology resists rust and corrosion on the interior of the firebox and eliminates noise associated with the heating and cooling of metal. FireBrick technology also generates, retains, and radiates significantly more heat into the room than a metal fireplace. All Heat & Glo products featuring FireBrick technology are AFUE rated, energy efficient, and offer an airtight seal, for peace of mind and comfort.

Clean face design

Lets materials like brick, stone and tile come flush to the firebox edge for a seamless finish and maximum view of the fire.

U.S. Efficiencies

Steady State

Since most homeowners use their fireplaces for an extended time while they are in the room, Steady State measures how efficiently your fireplace converts fuel to heat once it is warmed up and running in a “steady state”.

AFUE


AFUE rating is more typically used with appliances, like your furnace, that continually cycle on and off to maintain a constant temperature.

Rating	Cerona-36	Cerona-42	Escape-36	Escape-42	Escape-ST	Everest
Steady State	77.5% (NG) 77.5% (LP)	78.1% (NG) 78.1% (LP)	56.8% (NG) 56.8% (LP)	64.2% (NG) 64.2% (LP)	69.3% (NG) 69.3% (LP)	71.5% (NG) 71.5% (LP)
AFUE	61.4% (NG) 64.8% (LP)	60.7% (NG) 63.6% (LP)	50.3% (NG) 54.6% (LP)	52.8% (NG) 57.0% (LP)	60.5% (NG) 63.9% (LP)	43.6% (NG) 50.5% (LP)

Canada Efficiencies

EnerGuide (CSA P4.1.-02)

EnerGuide is a rating used in Canada to measure annual fireplace efficiency.



Rating	Cerona-36	Cerona-42	Escape-36	Escape-42	Escape-ST	Everest
EnerGuide (CSA P4.1.-02)	64.1% (NG) 65.6% (LP)	63.0% (NG) 64.1% (LP)	54.5% (NG) 56.3% (LP)	59.0% (NG) 60.7% (LP)	62.5% (NG) 64.9% (LP)	46.3% (NG) 49.4% (LP)

For complete information and valuable assistance on these models contact us at:

HEAT & GLO™

Lakeville, MN
(888) 427-3973 (952) 985-6000
web: heatnglo.com

A brand of Hearth & Home Technologies Inc.™

*For full warranty details go to www.heatnglo.com

HNG-1017U-1109

Limited Lifetime Warranty*

The strongest in the industry, Heat & Glo provides a limited lifetime warranty on most important aspects: firebox and heat exchanger.

